

MOBILE RANGE

ABE POWDER, CO2 & FOAM TYPE



ABE Mobile Extinguisher:

Suitable for all paper, textiles, wood, plastics, rubber, petrol, oil, paints, LPG, CNG, Acetylene and electrically charged equipment,

AFFF Mobile Extinguisher:

Suitable for fires that involve flammable and combustible liquids such as paper, textiles, wood, petrol, oil and paints, plastics and rubber.

CO2 Mobile Extinguisher:

Suitable for fires that involve electrically energised equipment and in electrical environments (Class E).



QUICK GLANCE COMPARISON TABLE

	M30ABE	M22CO2	M90LAFFF
CAPACITY	30KG	22KG	90 Litre
CLASS	ABE	BE	AB
DIAMETER	540mm	515mm	620mm
HEIGHT	1180mm	1500mm	1280mm
RATING	6A:80B:E	10B	3A:30B
HOSE	✓	✓	✓



30KG & 50KG ABE



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M30ABEM-P
30kg Mobile Extinguisher with Pneumatic Tyres



30-50kg Cover
P/N: WMC-50



M50ABEM-P
50kg Mobile Extinguisher with Pneumatic Tyres



30-50kg Cover
P/N: WMC-50



MOBILE EXTINGUISHERS

30KG ABE FLAMESTOP MOBILE

Complete 30kg Extinguisher with Solid Rubber Wheels	M30ABE	
Complete 30kg Extinguisher with Pneumatic Wheels	M30ABEM-P	
Model Number	M50ABE	
Agent Capacity	30kg	
Agent Type	ABE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	30kg/70kg	
Class	ABE	
Rating	6A:80B:E	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

50KG ABE FLAMESTOP MOBILE

Complete 50kg Extinguisher with Solid Rubber Wheels	M50ABEM	
Complete 50kg Extinguisher with Pneumatic Wheels	M50ABEM-P	
Model Number	M50ABE	
Agent Capacity	50kg	
Agent Type	ABE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	50kg/90kg	
Class	ABE	
Rating	6A:80B:E	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red



70KG & 90KG ABE



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M70ABEM-P
70kg Mobile Extinguisher with Pneumatic Tyres



70-90kg Cover
P/N: WMC-90



M90ABEM-P
90kg Mobile Extinguisher with Pneumatic Tyres



70-90kg Cover
P/N: WMC-90



70KG ABE FLAMESTOP MOBILE

Complete 70kg Extinguisher with Solid Rubber Wheels	M70ABEM	
Complete 70kg Extinguisher with Pneumatic Wheels	M70ABEM-P	
Model Number	M90ABE	
Agent Capacity	70kg	
Agent Type	ABE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	70kg/120kg	
Class	ABE	
Rating	6A:80B:E	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

90KG ABE FLAMESTOP MOBILE

Complete 90kg Extinguisher with Solid Rubber Wheels	M90ABEM	
Complete 90kg Extinguisher with Pneumatic Wheels	M90ABEM-P	
Model Number	M90ABE	
Agent Capacity	90kg	
Agent Type	ABE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	90kg/140kg	
Class	ABE	
Rating	6A:80B:E	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

9KG of this extinguishant has obtained a 6A:80B:E rating under test conditions for a portable fire extinguisher given in AS 1850.



30KG & 50KG BE PURPLE K



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M30PK-P
30kg Mobile Extinguisher with Pneumatic Tyres



30-50kg Cover
P/N: WMC-50



M50PK-P
50kg Mobile Extinguisher with Pneumatic Tyres



30-50kg Cover
P/N: WMC-50



MOBILE EXTINGUISHERS

30KG PURPLE K FLAMESTOP MOBILE

Complete 30kg Extinguisher with Solid Rubber Wheels	M30PK
Complete 30kg Extinguisher with Pneumatic Wheels	M30PK-P
Model Number	M50PK
Agent Capacity	30kg
Agent Type	'PURPLE K'
Nett Mass/Gross Mass	30kg/70kg
Class	BE
Rating	80B:E
Overall Dimensions	540 x 750 x 1180mm WDH
Cylinder Pressure Test	5 Yearly
Periodic Test Pressure	2.7MPa
Construction:	Cylinder Stainless Steel
	Valve Brass
	Handle Steel
Finish:	Cylinder Powder Coated Red
	Valve Nickel Coated Brass
	Handle Painted Red

50KG PURPLE K FLAMESTOP MOBILE

Complete 50kg Extinguisher with Solid Rubber Wheels	M50PK
Complete 50kg Extinguisher with Pneumatic Wheels	M50PK-P
Model Number	M50PK
Agent Capacity	50kg
Agent Type	'PURPLE K'
Nett Mass/Gross Mass	50kg/90kg
Class	BE
Rating	80B:E
Overall Dimensions	540 x 750 x 1180mm WDH
Cylinder Pressure Test	5 Yearly
Periodic Test Pressure	2.7MPa
Construction:	Cylinder Stainless Steel
	Valve Brass
	Handle Steel
Finish:	Cylinder Powder Coated Red
	Valve Nickel Coated Brass
	Handle Painted Red



70KG & 90KG BE PURPLE K



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M70PK-P
70kg Mobile
Extinguisher with
Pneumatic Tyres



70-90kg Cover
P/N: WMC-90



M90PK-P
90kg Mobile
Extinguisher with
Pneumatic Tyres



70-90kg Cover
P/N: WMC-90



70KG PURPLE K FLAMESTOP MOBILE

Complete 70kg Extinguisher with Solid Rubber Wheels	M70PK
Complete 70kg Extinguisher with Pneumatic Wheels	M70PK-P
Model Number	M90PK
Agent Capacity	70kg
Agent Type	'PURPLE K'
Nett Mass/Gross Mass	70kg/120kg
Class	BE
Rating	80B:E
Overall Dimensions	620 x 820 x 1280mm WDH
Cylinder Pressure Test	5 Yearly
Periodic Test Pressure	2.7MPa
Construction:	Cylinder Stainless Steel
	Valve Brass
	Handle Steel
Finish:	Cylinder Powder Coated Red
	Valve Nickel Coated Brass
	Handle Painted Red

90KG PURPLE K FLAMESTOP MOBILE

Complete 90kg Extinguisher with Solid Rubber Wheels	M90PK
Complete 90kg Extinguisher with Pneumatic Wheels	M90PK-P
Model Number	M90PK
Agent Capacity	90kg
Agent Type	'PURPLE K'
Nett Mass/Gross Mass	90kg/140kg
Class	BE
Rating	80B:E
Overall Dimensions	620 x 820 x 1280mm WDH
Cylinder Pressure Test	5 Yearly
Periodic Test Pressure	2.7MPa
Construction:	Cylinder Stainless Steel
	Valve Brass
	Handle Steel
Finish:	Cylinder Powder Coated Red
	Valve Nickel Coated Brass
	Handle Painted Red

MOBILE EXTINGUISHERS



30KG & 50KG BE



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M30BEM-P
30kg Mobile Extinguisher with Pneumatic Tyres



30-50kg Cover
P/N: WMC-50



M50BEM-P
50kg Mobile Extinguisher with Pneumatic Tyres



30-50kg Cover
P/N: WMC-50



30KG BE FLAMESTOP MOBILE

Complete 30kg Extinguisher with Solid Rubber Wheels	M30BEM	
Complete 30kg Extinguisher with Pneumatic Wheels	M30BEM-P	
Model Number	FSZ30BE	
Agent Capacity	30kg	
Agent Type	BE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	30kg/70kg	
Class	BE	
Rating	N/A	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7 MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

50KG BE FLAMESTOP MOBILE

Complete 50kg Extinguisher with Solid Rubber Wheels	M50BEM	
Complete 50kg Extinguisher with Pneumatic Wheels	M50BEM-P	
Model Number	FSZ50BE	
Agent Capacity	50kg	
Agent Type	BE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	50kg/90kg	
Class	BE	
Rating	N/A	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7 MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red



70KG & 90KG BE



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M70BEM-P
70kg Mobile
Extinguisher with
Pneumatic Tyres



70-90kg Cover
P/N: WMC-90



M90BEM-P
90kg Mobile
Extinguisher with
Pneumatic Tyres



70-90kg Cover
P/N: WMC-90



70KG BE FLAMESTOP MOBILE

Complete 70kg Extinguisher with Solid Rubber Wheels	M70BEM	
Complete 70kg Extinguisher with Pneumatic Wheels	M70BEM-P	
Model Number	FSZ70BE	
Agent Capacity	70kg	
Agent Type	BE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	70kg/120kg	
Class	BE	
Rating	N/A	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7 MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

90KG BE FLAMESTOP MOBILE

Complete 90kg Extinguisher with Solid Rubber Wheels	M90BEM	
Complete 90kg Extinguisher with Pneumatic Wheels	M90BEM-P	
Model Number	FSZ90BE	
Agent Capacity	90kg	
Agent Type	BE Dry Chemical Powder	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	90kg/140kg	
Class	BE	
Rating	N/A	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7 MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red



30L & 50L AFFF



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M30LM-P
30L Mobile Extinguisher with Pneumatic Tyres



30-50L Cover
P/N: WMC-50

30 LITRE FLAMESTOP MOBILE



M50LAFFF-P
50L Mobile Extinguisher with Pneumatic Tyres



30-50L Cover
P/N: WMC-50

50 LITRE FLAMESTOP MOBILE

Complete 30L Extinguisher with Solid Rubber Wheels	M30LM	
Complete 30L Extinguisher with Pneumatic Wheels	M30LM-P	
Model Number	M50LAFFF	
Agent Capacity	30 Litres	
Agent Type	AFFF Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	30kg/70kg	
Class	AB	
Rating	3A:30B	
Pressure	1620kPa	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

Complete 50L Extinguisher with Solid Rubber Wheels	M50LAFFF	
Complete 50L Extinguisher with Pneumatic Wheels	M50LAFFF-P	
Model Number	M50LAFFF	
Agent Capacity	50 Litres	
Agent Type	AFFF Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	50kg/90kg	
Class	AB	
Rating	3A:30B	
Pressure	1620kPa	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

MOBILE EXTINGUISHERS



70L & 90L AFFF



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M70LAFFF-P
70L Mobile Extinguisher with Pneumatic Tyres



70-90L Cover
P/N: WMC-90



70 LITRE FLAMESTOP MOBILE



M90LAFFF-P
90L Mobile Extinguisher with Pneumatic Tyres



70-90L Cover
P/N: WMC-90



90 LITRE FLAMESTOP MOBILE

MOBILE EXTINGUISHERS

Complete 70L Extinguisher with Solid Rubber Wheels	M70LAFFF	
Complete 70L Extinguisher with Pneumatic Wheels	M70LAFFF-P	
Model Number	M90LAFFF	
Agent Capacity	70 Litres	
Agent Type	AFFF Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	70kg/120kg	
Class	AB	
Rating	3A:30B	
Pressure	1620kPa	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

Complete 90L Extinguisher with Solid Rubber Wheels	M90LAFFF	
Complete 90L Extinguisher with Pneumatic Wheels	M90LAFFF-P	
Model Number	M90LAFFF	
Agent Capacity	90 Litres	
Agent Type	AFFF Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	90kg/140kg	
Class	AB	
Rating	3A:30B	
Pressure	1620kPa	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

9L of this extinguishant has obtained a 3A:30B rating under test conditions for a portable fire extinguisher given in AS 1850.



30L & 50L ALCOHOL RESISTANT



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M30AR-P
30L Mobile Extinguisher with Pneumatic Tyres



30-50L Cover
P/N: WMC-50

30 LITRE FLAMESTOP MOBILE



M50AR-P
50L Mobile Extinguisher with Pneumatic Tyres



30-50L Cover
P/N: WMC-50

50 LITRE FLAMESTOP MOBILE

Complete 30L Extinguisher with Solid Rubber Wheels	M30AR	
Complete 30L Extinguisher with Pneumatic Wheels	M30AR-P	
Model Number	M50LAFFF	
Agent Capacity	30 Litres	
Agent Type	Alcohol Resistant Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	30kg/70kg	
Class	AB	
Rating	2A:10B	
Pressure	1620kPa	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

Complete 50L Extinguisher with Solid Rubber Wheels	M50AR	
Complete 50L Extinguisher with Pneumatic Wheels	M50AR-P	
Model Number	M50LAFFF	
Agent Capacity	50 Litres	
Agent Type	Alcohol Resistant Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	50kg/90kg	
Class	AB	
Rating	2A:10B	
Pressure	1620kPa	
Overall Dimensions	540 x 750 x 1180mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

MOBILE EXTINGUISHERS



70L & 90L ALCOHOL RESISTANT



MOBILE EXTINGUISHER SUPPLIED WITH TROLLEY



M70AR-P
70L Mobile Extinguisher with Pneumatic Tyres



70-90L Cover
P/N: WMC-90



70 LITRE FLAMESTOP MOBILE



M90AR-P
90L Mobile Extinguisher with Pneumatic Tyres



70-90L Cover
P/N: WMC-90



90 LITRE FLAMESTOP MOBILE

MOBILE EXTINGUISHERS

Complete 70L Extinguisher with Solid Rubber Wheels	M70AR	
Complete 70L Extinguisher with Pneumatic Wheels	M70AR-P	
Model Number	M90LAFFF	
Agent Capacity	70 Litres	
Agent Type	Alcohol Resistant Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	70kg/120kg	
Class	AB	
Rating	2A:10B	
Pressure	1620kPa	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

Complete 90L Extinguisher with Solid Rubber Wheels	M90AR	
Complete 90L Extinguisher with Pneumatic Wheels	M90AR-P	
Model Number	M90LAFFF	
Agent Capacity	90 Litres	
Agent Type	Alcohol Resistant Concentrate	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	90kg/140kg	
Class	AB	
Rating	2A:10B	
Pressure	1620kPa	
Overall Dimensions	620 x 820 x 1280mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	2.7MPa	
Construction:	Cylinder	Stainless Steel
	Valve	Brass
	Handle	Steel
Finish:	Cylinder	Powder Coated Red
	Valve	Nickel Coated Brass
	Handle	Painted Red

9L of this extinguishant has obtained a 2A:10B rating under test conditions for a portable fire extinguisher given in AS 1850.



22 & 45KG CARBON DIOXIDE



SUPPLIED WITH TROLLEY & STANDARD WAND



Optional long stainless steel wand (CO2 WAND)

MOBILE EXTINGUISHERS

22KG FLAMESTOP MOBILE

Part Number	M22CO2M	
Model Number	M22CO2	
Agent Capacity	22KG	
Agent Type	Carbon Dioxide (CO2)	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	22kg/100kg	
Class	BE	
Tyres	Hard Rubber	
Rating	10B	
Cylinder Dimensions	220 x 1210mm DH	
Overall Dimensions	500 x 600 x 1330mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	250Bar/25Mpa	
Construction:	Cylinder	Steel
	Valve	Brass
Finish:	Cylinder	Powder Coated Red
	Valve	Brass

45KG FLAMESTOP MOBILE

Part Number	M45CO2M	
Model Number	M45CO2	
Agent Capacity	45KG	
Agent Type	Carbon Dioxide (CO2)	
Agent Manufacturer	FlameStop Australia Pty Ltd	
Nett Mass/Gross Mass	45kg/150kg	
Class	BE	
Tyres	Hard Rubber	
Rating	10B	
Cylinder Dimensions	260 x 1500mm DH	
Overall Dimensions	500 x 600 x 1635mm WDH	
Cylinder Pressure Test	5 Yearly	
Periodic Test Pressure	250Bar/25Mpa	
Construction:	Cylinder	Steel
	Valve	Brass
Finish:	Cylinder	Powder Coated Red
	Valve	Brass

5.0kg of this extinguishant has obtained a 10B rating under test conditions for a portable fire extinguisher given in AS 1850.